

 **Jallatte**®  
créateur de bien-être



**COLLECTION 2024**

AUGUST EDITION

ENGLISH VERSION



# CREDO

For a world more respectful of  
people and the environment







## JALLATTE'S DNA

Created in 1947 by Pierre Jallatte, the inventor behind the European concept of the safety shoe which he had discovered in the United States, ever since it was founded, the Jallatte® company has been located in the Gard municipality of Saint-Hippolyte-du-Fort, sheltered in a 17th century fort inspired by Vauban, which became the historical site of Jallatte® four centuries later.

For 75 years, Jallatte® has established itself as the leader on the safety shoe market, by focusing on innovation and research into technical performance, in order to guarantee protection for people at work, to keep them healthy and to improve their well-being.

Jallatte® has been able to find a delicate balance between technology, safety, comfort and design, by offering complete ranges that meet the needs of the harshest environments while confirming the good taste of anyone who wears them.

Today, its design efforts are focused on preventing risks of DMS (Musculoskeletal Disorders) thanks to innovative materials and new technologies in multi-density soles covered by international patents.

After safety, comfort and design, Jallatte® is paving the way for anti-fatigue performance with an ergonomic approach adapted to all body shapes and working situations.

*Jallatte®, creating well-being since 1947*



# OUR CSR COMMITMENT



## ► WHAT IS CSR?

The European Commission defines corporate social responsibility (CSR) as a concept whereby companies integrate social and environmental concerns in their business operations and in their interaction with their stakeholders on a voluntary basis.

*"A company that adopts CSR therefore seeks to have a positive impact on society while also being economically viable".*

Source : [economie.gouv.fr](http://economie.gouv.fr), July 2022

For several years, Jallatte has been committed to a world more respectful of people and the environment with its CSR initiative called J-CLEAN.

## ► WHICH CSR INITIATIVES HAS JALLATTE PUT IN PLACE?

1. The **relocalisation** of part of production to the **historical site** of Saint Hippolyte du fort **in the Gard region**
2. The creation of collections of **safety shoes certified as carbon neutral** by **Bureau Veritas** according to **international standard PAS 2060**, and **made in France**
3. Our commitment to a plan to **reduce our carbon footprint** in the long term certified according to the requirements of standard PAS 2060 (reducing our energy consumption and using green electricity)
4. The development of **local employment** and **expertise**
5. The **maintenance of gender equality** at the company with a score of 87 points out of 100 on the gender pay gap index, which is 12 points above the legal minimum set by the "Professional Future" Law of 5 September 2018 and its implementing decree No 2021-262 of 10 March 2021
6. The adoption of **social benefits** and the development of a **programme for quality of life at work** to improve well-being at work and the company's performance
7. A strategy to **control costs and to manage pricing** helping take profitable market shares and guaranteeing the company's longevity
8. The priority given to **local suppliers and service providers** whenever possible
9. A plan to **reduce our waste** by setting up sorting solutions and a composter
10. The protection of the environment and maintenance of the ecosystem by setting up **bee hives around Jallatte fort**

The solid initiatives we are implementing as part of **J-CLEAN** make Jallatte a committed and responsible player in a **societal and environmental process** aimed at improving the well-being of our employees and users, while also preserving the planet!



## BLUE, WHITE AND RED



### ASSEMBLY MADE IN FRANCE

Transparent about designations of origin means we have to communicate clearly and unambiguously for our retail customers and end users.

Too many people on the market hide their manufacturing origins or remain vague, making it impossible to build trust in long-term customer relationships.

Here at Jallatte, our process is clear: we have decided to very clearly indicate any items in our catalogue with a Blue, White and Red pictogram, whose upper and sole assembly is guaranteed to be “Made in France”.

The others without a pictogram can come from our site in the Cévennes, depending on our manufacturing programmes, or from one of our factories in Tunisia which are 100% integrated and controlled by our Group structure. We should point out that all of our uppers are cut and sewn in these workshops clearly indicated as “UPPER Made In Tunisie”, meaning we are not eligible for this declaration.

All these declarations clearly stated in our communication tools and on the regulatory labels of our products are naturally to make Jallatte a transparent and responsible manufacturer that wants to develop its customer relationship according to the values of mutual respect and long-term trust.





## TRAINERS RANGE

J'respect / 10

J-Energy / 16

J-Hop / 28

Triftane X / 32

Tapis Rouge / 34

J-Industry / 36

J-Nude 2 / 42

Helium / 44

## OUTDOOR RANGE

Synergy / 50

J-Escape / 56

Softane Adventure / 60

Softane Avant-Garde / 62

Softane Tradition / 64







## **CITY** RANGE

Softane Prestige / 66

## **ASSORTED** RANGE

Specials / 69

Triftane Excellence / 72

## **WORK** RANGE

J-Pro / 74

MERCHANDISING / 78

TECHNOLOGIES / 80

INDEX / 86

STANDARDS / 89



## THE CONCEPT

Being a spokesperson for a world that is **more respectful of people and the environment**, Jallatte has been committed to an extensive CSR plan for several years, called **J-Clean** which involves :

- ▶ Relocating part of the production to the **historic factory in Saint-Hippolyte-du-Fort**
- ▶ Using **local know-how**
- ▶ Adopting a **responsible purchasing policy**




To combat global warming and the natural disasters it causes, the mission set by the United Nations is clear :

- ▶ **TO REDUCE GHG EMISSIONS\***  
by **45%** by 2030

According to the United Nations, becoming carbon neutral involves 3 concrete actions :

- ▶ Measuring our carbon footprint
- ▶ Reducing this carbon footprint
- ▶ Offsetting what we have not yet been able to reduce

To address the climate emergency and to help **reduce greenhouse gases**, our SME from Gard is confirming its commitment to CSR, known as J-Clean, by creating a **new generation of eco-friendly safety footwear : J'respect**.



With J'respect, our production site based in Saint-Hippolyte-du-Fort has become the first and only factory in France, and in Europe, to manufacture Carbon Neutral-certified safety footwear !



## MEASURE

「Nowadays, by analysing the complete life-cycle of our products, we can estimate that a traditional safety shoe accounts for more than 15kg of CO2 per pair.」



## REDUCE

「To take real action and to reduce our carbon footprint, we have launched our J-Clean CSR initiative and created the J'respect collection:



### 「ECO-DESIGNED UPPER」

► **RECYCLED MATERIALS**  
between 50% and 100%



► **RAW MATERIALS**  
with low CO2 emissions

### 「BIOSOURCED SOLE」

**CARBON FOOTPRINT REDUCED BY 60%**  
Compared with conventional PU

**100% RENEWABLE MATERIALS**  
Biomass Balance Polyurethane



Developed in collaboration with BASF, this sole is designed from **100% renewable materials and without any fossil fuels**. This is the Biomass Balance approach. The next-gen PU of the J'respect sole is made from recycling and fermenting organic waste.

Our CSR commitments and the creation of the J'respect collection have enabled Jallatte to **reduce the CO2 emissions** of a pair of safety shoes **by an average of 10 to 20Kg**, i.e. a **carbon footprint reduced by 50% to 65%** depending on the model!




## OFFSET

To become carbon neutral, the final pillar of our initiative is offsetting.

Jallatte is committed to this initiative of reducing greenhouse gases by financing, through the United Nations, a project to generate renewable energy in Laos.


**SELF-SUFFICIENCY**  
In Energy



**NOT USING CARBON**  
For "clean" energy

By financing this project for the environment and society, Jallatte is meeting the sustainable development goals set by the United Nations.

**SUSTAINABLE  
DEVELOPMENT  
GOALS**



Thanks to our J-Clean initiative and to our complete measuring/reducing/offsetting, the J'respect collection can ultimately claim 0 kg of CO<sub>2</sub> per pair.



We could not do it without the support and commitment of our partners and customers, all of us together, working for Zero Carbon!

J'respect







**JALVIVO** ESD S3 CI SRC

UPPER : Recycled Putek Spider  
CODE : JIJ1447

**JALECO** ESD S3 CI SRC

UPPER : Recycled Putek Spider  
CODE : JIJ1434

**JALFUTURE** ESD S3 CI SRC

UPPER : Recycled microfiber, leather look  
CODE : JIJ1414

**JALNATURE** ESD S3 CI SRC

UPPER : Recycled microfiber, leather look  
CODE : JIJ1424

**JALO2** ESD S1P CI SRC

UPPER : Recycled microfibre, velvet look  
CODE : JIJ1446

Lining	3D Surf-R mesh
Toe cap	Springtane B
Insole	Maxi Soft Duo
Anti-puncture insert	Flexthane-R
Sole	PU/PU BmB BASF®
Size	35 - 48







### JALBASALT ESD S3 CI SRC

UPPER : Recycled microfibre, nubuck look  
CODE : JIJI534



### JALONYX ESD S3 CI SRC

UPPER : Recycled microfibre, nubuck look  
CODE : JIJI544



ASEPTANE-R



### JALQUARTZ ESD S2 FO SR

UPPER : Smooth recycled microfiber  
ANTI-PUNCTURE INSERT : N/A  
CODE : JIJI512



ASEPTANE-R



### JALGABBRO ESD S2 FO SR

UPPER : Smooth recycled microfiber  
ANTI-PUNCTURE INSERT : N/A  
CODE : JIJI522



### JALOXY ESD S1P CI SRC

UPPER : Recycled microfibre, velvet look  
CODE : JIJI556

Lining 3D Surf-R mesh

Toe cap Springtane B

Insole Maxi Soft Duo

Anti-puncture insert Flexthane-R

Sole PU/PU BmB BASF®

Size 35 - 48





**JALaubier ESD S3 CI SRC**

UPPER : Recycled Putek Spider

CODE : JYJY464

**JAlliber ESD S3 CI SRC**

UPPER : Recycled Putek Spider

CODE : JYJY474

**JAlhydro ESD S3 CI SRC**

UPPER : Smooth recycled microfibre

CODE : JYJY484

**JAlriver ESD S3 CI SRC**

UPPER : Smooth recycled microfibre

CODE : JYJY494



Infenergy® anti-fatigue insert by BASF® made from **100% renewable materials and without any fossil fuels.**

**100% recycled laces.** Comes in 2 colours (black & green).  
Black laces for a plain look, in green for a colourful look  
or in black and green for a quirky look!



Lining	3D Surf-R mesh
Toe cap	PremAlu B
Insole	Soft
Anti-puncture insert	Flexthane-R
Sole	Infenergy® BmB PU2D/ E-TPU by BASF®
Size	35 - 48





The SYNERGY collection is fitted with a PU "scuffcap", which guarantees superior, optimum protection at the front of the foot.

This "scuffcap" allows you to work on your knees without the risk of premature wear and tear of the material on the front of the toe cap.



### JALTREE ESD S3 CI SRC

UPPER : Recycled Putek Spider

CODE : JYJY434



### JALFOREST ESD S3 CI SRC

UPPER : Recycled microfibre, nubuck look

CODE : JYJY454

SIZE : 38 - 48



### JALGROVE ESD S3 CI SRC

UPPER : Recycled microfibre, nubuck look

CODE : JYJY444

Lining 3D Surf-R mesh

Toe cap PremAlu B

Insole Soft

Anti-puncture insert Flexthane-R

Sole Infinergy® BmB PU2D/  
E-TPU by BASF®

Size 35 - 48






**JALTOUNDR ESD S3 CI SRC**

UPPER : Recycled Putek Spider

CODE : JVJV207

Lining	3D Surf-R mesh
Toe cap	PremAlu B
Insole	Soft
Anti-puncture insert	Flex-Light-R
Sole	PU/PU BmB BASF®
Sizes	35 - 48



## UPPER



PU TEK® SPIDER technology uses new, highly abrasion-resistant yarns for greater tenacity and enhanced performance. These highly resistant, water-repellent fabrics enable us to produce ultra-lightweight, ultra-breathable S3 products. PU TEK® is made from **68% recycled polyester**.



Recycled Aseptane microfiber impregnated with resins. This makes it exceptionally waterproof and breathable, as well as easy to clean and maintain. This microfiber is ideal for use in damp environments and against fluid splashes, and is made from **40% recycled polyamide**.



Leather- and nubuck-look microfibers are made from **40% recycled materials**. The velvet-look microfiber is made from **50% recycled materials**.

## LINING



Innovative, antibacterial technical lining that combines high performance breathability and abrasion resistance with a soft, comfortable feel. Its special 3-layer structure promotes thermoregulation to keep feet dry and comfortable. This lining is made from **66% recycled materials**.

## INSOLE



This removable comfort insole is made of 2 materials:

- A "SOFT" layer of Dynamic **Biomass Balance** polyurethane from BASF® with shape memory, heat-sensitive and active all over the foot.
- An integrated anti-fatigue "MAXI" size insert in Elastopan Biomass Balance from BASF®, the elastomer used in anti-fatigue mats.



SOFT insole in Dynamic polyurethane from BASF® with **shape memory**, **heat-sensitive** and active all over the foot.

Directly under the soles of the feet, SOFT **improves weight distribution** by cushioning pressure points and providing a **positive energy return**.

## ANTI-PUNCTURE INSERT




Composite, non-magnetic and athermic anti-perforation insert made from **50% recycled polyester**.



Antipuncture insert in non-woven fabric, 54% lighter than a standard insert, antistatic, sewn directly onto the upper and made from **77% recycled polyester**.



## Properties of BASF®s Infinergy® expanded thermoplastic polyurethane (E-TPU)



- High elasticity to flexibility and lightness
- Flexibility and low density
- High energy return (energy return coefficient over 55%)
- Tensile stress resistant
- Abrasion resistant
- Absorbs very little water
- Resistant to significant temperature variations over time (-20°C to + 40°C)



Infinergy® stores energy so that it can be better released. A confluence of technology that makes for dynamic cushioning. **Soft, dynamic** cushioning that provides unprecedented energy returns.

- Energy is stored as the foot hits the ground.
- And is returned through the sole as the foot lifts up, pushing the foot forward.

Infinergy® has **excellent durability** even with continuous and extended use. Infinergy®, unlike other traditional foams, retains high levels of **flexibility** and **elasticity** without any signs of stiffness, even at low temperatures.







Innovative technology used in running shoes is now available for safety shoes !

**BASF**  
We create chemistry

BASF SE

**Infinergy®**

Made with Infinergy® by BASF

Already used with success in running shoes, this **innovative material** improved athletic performances, reducing fatigue.

What if it was the same for safety shoe users ?

For everyone who is exposed to arduous work situations :

- Standing for long periods
- Walking long distances
- Constant kneeling or squatting



J-ENERGY safety footwear

- Returns **more than 55% of the stored energy** while walking
- Save one hour of energy per day
- Reduces feeling of fatigue
- Provides **outstanding comfort** due to the cushioning of the sole
- Absorb plantar pressure zones
- Prevents the risk of developing lower limbs MSDs (musculoskeletal disorders)

According to BVA biomechanical study No. 1095 carried out in 2020 by the CTC, wearing J-ENERGY safety footwear reduces leg muscle activity by 17%. Because of BASF's Infinergy insert, the push-off stage of the foot is more efficient, which reduces the effort required and, therefore, energy expenditure.

**Our « Energy » is valuable, let's protect it !**



# J-ENERGY

These safety sneakers from the J-ENERGY collection feature Vibram® soles for greater durability, slip resistance and abrasion resistance, to keep workers safe and comfortable.







QuickLio™

**JALDRAGSTER** S3S CI HI HRO FO SR

UPPER : Water-repellent pull-up leather

CODE : JYJY193

SIZE : 35 - 48

**JALNITRO** S3S CI HI HRO FO SR

UPPER : Water-repellent pull-up leather

CODE : JYJY293

SIZE : 35 - 48

Lining	3D Roma Mesh
Toe cap	PremAlu B
Insole	Soft+Gel
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®/ Vibram®







NEW

**JALFLASH** ESD S3S CI FO SR

UPPER : Smooth nubuck leather

LINING : 3D Surf mesh

CODE : JYJY189

SIZE : 35 - 48



NEW

**JALSTAR** ESD S3S CI FO SR

UPPER : Smooth nubuck leather

LINING : 3D Surf mesh

CODE : JYJY289

SIZE : 35 - 48



NEW

**JALBOMBER** ESD S3 CI SRC

UPPER : PUTEK STAR

LINING : 3D Surf mesh

CODE : JYJY498

SIZE : 35 - 48



NEW

**JALWAVE** ESD S3 CI SRC

UPPER : Smooth nubuck leather

LINING : 3D Surf mesh

CODE : JYJY499

SIZE : 35 - 48

**JALPURE** ESD S3 CI SRC ●

UPPER : PUTEK PLUS abrasion-resistant and breathable

LINING : 3D Roma mesh

CODE : JYJY250

SIZE : 35 - 48



ASEPTANE

**JALPERFECT** ESD S3 CI SRC

UPPER : Breathable and waterproof microfiber

LINING : 3D Roma mesh

CODE : JYJY251

SIZE : 35 - 48

Toe cap PremAlu B  
 Insole Soft + Gel  
 Anti-puncture insert Flexthane  
 Sole Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®



SOFT+GEL

Link-ESD



## AN ASSERTIVE NEW STYLE :

SPORT & *chic*



### JALPACINO S3 CI SRC

UPPER : Derby-style straight-toe sneaker  
CODE : JYJY500      SIZE : 38 - 48



### JALDENIRO S1P SRC

UPPER : Golf-style Richelieu town sneaker  
CODE : JYJY501      SIZE : 38 - 48



**Infinergy®**

Made with Infinergy® by BASF

**+55% energy restitution !**

Upper	Pure full-grain leather
Toe cap	PremAlu B
Insole	Soft+Gel
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®



LINK-ESD

SOFT+GEL





**JALCLIMATE S3 CI WR SRC**

UPPER : PUTEK® PLUS highly resistant to abrasion, water resistant and breathable

LINING : GORE-TEX® Membrane

CODE : JYJY137

SIZE : 38 - 48

**JALDYNAM ESD S3 CI SRC**

LINING : 3D Surf mesh

CODE : JYJY103

SIZE : 35 - 48

**JALSPRING ESD S3 CI SRC**

LINING : 3D Surf mesh

CODE : JYJY203

SIZE : 35 - 48

**JALPULSE ESD S3 CI SRC**

LINING : 3D Roma mesh

CODE : JYJY104

SIZE : 38 - 48

**JALTONIC ESD S3 CI SRC**

LINING : 3D Roma mesh

CODE : JYJY204

SIZE : 38 - 48

Upper Smooth nubuck leather

Toe cap PremAlu B

Insole Soft + Gel

Anti-puncture insert Flexthane

Sole Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®





### JALTURBO ESD S3 CI SRC

UPPER : Full grain water resistant leather  
CODE : JYJY132      SIZE : 38 - 48



### JALGEAR ESD S3 CI SRC

UPPER : Full grain water resistant leather  
CODE : JYJY232      SIZE : 38 - 48



### JALSOLID ESD S3 CI SRC

UPPER : PUTEK® PLUS highly resistant to abrasion, water resistant and breathable  
CODE : JYJY134      SIZE : 38 - 48



### JALSKIN ESD S3 CI SRC

UPPER : PUTEK® PLUS highly resistant to abrasion, water resistant and breathable  
CODE : JYJY234      SIZE : 38 - 48

Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®





**JALPUNCH** ESD S1P CI SRC

UPPER : Smooth suede leather with breathable Nylon fabric inserts

LINING : 3D Surf mesh

CODE : JYJY101      SIZE : 35 - 48

**JALPEPS** ESD S1P CI SRC

UPPER : Smooth suede leather with breathable Nylon fabric inserts

LINING : 3D Surf mesh

CODE : JYJY201      SIZE : 35 - 48

**JALACTIVE** ESD S1P CI SRC

UPPER : Perforated suede leather, anti-abrasion textile

LINING : 3D Roma mesh

CODE : JYJY102      SIZE : 38 - 48

**JALRUN** ESD S1P CI SRC

UPPER : Perforated suede leather, anti-abrasion textile

LINING : 3D Roma mesh

CODE : JYJY202      SIZE : 38 - 48

Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®





**JALHYGIE** ESD S3 SRC

CODE : JYJY216

SIZE : 35 - 46



**JALCARBO** ESD S3 SRC

CODE : JYJY217

SIZE : 35 - 46

Upper Microfiber Aseptane

Lining 3D Surf mesh

Toe cap Springtane B

Insole Soft + Gel

Anti-puncture insert Flexthane

Sole Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®



**ASEPTANE**

Springtane B

**SOFT+GEL**

**Infinergy**  
Made with Infinergy by BASF

0%  
METAL



**Link-ESD**





## LADIES' COLLECTION



Shoes adapted  
to women's feet



DOUBLE LACE

For two different looks: sober or fun !



### MIKY ESD S3 CI SRC

UPPER : Water resistant leather, Nubuck  
Finishing

CODE : JYJY109

SIZE : 35 - 42



### NOA ESD S3 CI SRC

UPPER : Water resistant leather, Nubuck  
Finishing

CODE : JYJY209

SIZE : 35 - 42



### LAIA ESD S1P CI SRC

UPPER : Smooth suede leather with breathable  
Nylon fabric inserts

CODE : JYJY212

Size : 35 - 42



### INES ESD S1P SRC

UPPER : Textured technical fabric

CODE : JYJY211

SIZE : 35 - 42

Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®







# J-HOP!



**BASF**  
We create chemistry

A sole designed with **BASF® PU Extra Rebound 41.5%** guarantees a **constant energy return of over 40%** across its entire surface, both in the stance phase and when pushing off with the foot.

Its particularly soft and supple composition provides **lightness, well-being** and total **comfort**, reducing the sensation of fatigue during walking and sustained activity.



Putek® PLUS Technology uses newly developed **high resistance abrasion** yarns, woven directly into the fabric, to obtain high tenacity and **high-performance** abrasion resistant fabrics. These highly **resistant** and **water-repellent** fabrics allow the creation of **ultra-light** and **ultra-breathable** S3 products.



**JALHYBRIS** ESD S3 CI SRC

CODE : JHJH408

SIZE : 35 - 48

**JALMETIS** ESD S3 CI SRC

CODE : JHJH308

SIZE : 35 - 48

**JALKALLISTO** ESD S3 CI SRC ●

CODE : JHJH409

SIZE : 38 - 48

**JALDIDO** ESD S3 CI SRC ●

CODE : JHJH309

SIZE : 38 - 48

**Upper** PUTEK® PLUS highly resistant to abrasion, water resistant and breathable

**Lining** 3D Surf mesh

**Toe cap** PremAlu B

**Insole** Soft + Gel

**Anti-puncture insert** Flextone

**Sole** PU/PU Extra Rebound

PremAlu B **SOFT+GEL** LINK-ESD



PRODUCTS CERTIFIED ACCORDING TO STANDARD EN ISO 20345





**JALURANIA** ESD S3 CI SRC ●

UPPER : Water resistant leather, Nubuck

Finishing

CODE : JHJH407

SIZE : 35 - 48

**JALEVA** ESD S3 CI SRC ●

UPPER : Water resistant leather, Nubuck

Finishing

CODE : JHJH307

SIZE : 35 - 48

**JALHIPPO** ESD S3 CI SRC ●

UPPER : Full grain water resistant leather

CODE : JHJH406

SIZE : 35 - 48

**JALJUNO** ESD S3 CI SRC ●

UPPER : Full grain water resistant leather

CODE : JHJH306

SIZE : 35 - 48

Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	PU/PU Extra Rebound





**JALTHIA** ESD S1P SRC ●

CODE : JHJH402

SIZE : 35 - 48



**JALIDA** ESD S1P SRC ●

CODE : JHJH302

SIZE : 35 - 48



**JALGALLIA** ESD S1P SRC ●

CODE : JHJH404

SIZE : 38 - 48



**JALADRIA** ESD S1P SRC ●

CODE : JHJH304

SIZE : 38 - 48



**JALCERES** ESD S1P SRC ●

CODE : JHJH301

SIZE : 38 - 48



Upper	Rio suede leather and breathable anti-abrasion textile
Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	PU/PU Extra Rebound





# TRIFTANEX

The safety sneakers of the TRIFTANE X collection are equipped with a Vibram® sole that guarantees more durability and better resistance to slipping and on hot surfaces to ensure the safety and comfort of workers in the oil & gas sector, but also in industry, maintenance and mechanics.





**JALHYRA S3 CI HRO SRC** ●

UPPER : Water resistant leather, Nubuck  
Finishing

CODE : JXJX907

SIZE : 35 - 48

**JALTEA S3 CI HRO SRC** ●

UPPER : Water resistant leather, Nubuck  
Finishing

CODE : JXJX007

SIZE : 35 - 48

**JALPOLYXO S3 CI HRO SRC** ●

UPPER : Full grain water resistant  
leatherather

CODE : JXJX906

SIZE : 35 - 48

**JALINO S3 CI HRO SRC** ●

UPPER : Full grain water resistant  
leatherather

CODE : JXJX006

SIZE : 35 - 48

**JALARTEMIS S1P HRO SRC** ●

UPPER : Smooth suede leather with breathable  
Nylon fabric inserts

CODE : JXJX902

SIZE : 35 - 48



Lining 3D Surf mesh  
Toe cap PremAlu B  
Insole Soft + Gel  
Anti-puncture insert Flexthane  
Sole Triftane X Vibram®

**SOFT+GEL**



# TAPIS ROUGE

This triple-density insole, made from a revolutionary elastomer used in the manufacture of anti-fatigue mats, **distributes sole pressure** ; It can **absorb** and **reduce stress on the body** reducing traumas associated with static, prolonged working positions.

High performance in terms of **comfort**, **balance** and **shock distribution**.







### JALTURBO-TR ESD S3 CI SRC ●

UPPER : Full grain water resistant leather

LINING : 3D Surf mesh

CODE : JTJT805

SIZE : 35 - 48



### JALGEAR-TR ESD S3 CI SRC ●

UPPER : Full grain water resistant leather

LINING : 3D Surf mesh

CODE : JTJT705

SIZE : 35 - 48



### JALPULSE-TR ESD S3 CI SRC ●

UPPER : Nubuck leather, anti-abrasion water-repellent textile

LINING : 3D Roma mesh

CODE : JTJT803

SIZE : 38 - 48



### JALTONIC-TR ESD S3 CI SRC ●

UPPER : Nubuck leather, anti-abrasion water-repellent textile

LINING : 3D Roma mesh

CODE : JTJT703

SIZE : 38 - 48



### JALRUN-TR ESD S1P SRC ●

UPPER : Smooth perforated suede leather

LINING : 3D Roma mesh

CODE : JTJT701

SIZE : 38 - 48



Toe cap	PremAlu B
Insole	Soft + Gel
Anti-puncture insert	Flexthane
Sole	Triple density with plantar pressure distribution PU2D/ Elastopan® from BASF®







# J-INDUSTRY<sup>4.0</sup>

EXTENDED STANDING **HEALTH** SOLUTION





All-round versatility that reduces tiredness and fatigue in all situations.

MAXI-Soft Duo™ is an entirely innovative insole concept, designed especially for people who have to **stand for many hours a day**.

It combines an insole with a comfort layer, directly in contact with the sole of the foot



MAXI-Soft Duo™ balances posture and provides an **undeniable feeling of comfort**, due to two associated technologies, which the user perceives directly at their workstation.

Its elastic deformation properties permits the insole to provide both **progressive and prolonged cushioning** throughout the step or while walking and a return of energy during the pressure stage on the foot for a **guaranteed anti-fatigue effect**.



The **removable** comfort insole is made of 2 materials :

- +** A 'SOFT' BASF® dynamic polyurethane layer including memory foam, which is heat-sensitive and active over the entire surface of the foot.

Under the soles of the feet, SOFT **improves weight distribution** by reducing pressure points and the feeling of discomfort.
- +** An integrated 'MAXI'-size anti-fatigue insert made of BASF® Elastopan, an elastomer that is used in anti-fatigue mats. Positioned beneath the base layer, this MAXI insert **cushions and alleviates stress on the body**, which is forced to stand upright for many hours a day, both while in motion and while walking, thus **reducing the risk of MSDs** (musculoskeletal disorders) in the lower limbs.





### JALPYTHON ESD S3 CI SRC

CODE : JIJ1244

SIZE : 35 - 48



BOA® Fit System is a rapid, easy and accurate lacing system with no need for laces. Eliminates the risk of fall and untying laces

Safety, comfort, speed  
= preserved health !



### JALTECHNO ESD S3 CI SRC

CODE : JIJ1124

SIZE : 35 - 48



### JALNANO ESD S3 CI SRC

CODE : JIJ1224

SIZE : 35 - 48



### JALPROCESS ESD S3 CI HI SRC

UPPER : Full grain water resistant leather

CODE : JIJ1114

SIZE : 35 - 48



### JALCYBER ESD S3 CI HI SRC

UPPER : Full grain water resistant leather

CODE : JIJ1214

SIZE : 35 - 48

Upper PUTEK® PLUS water resistant

Lining 3D Surf mesh

Toe cap Springtane B

Insole Maxi Soft Duo

Anti-puncture insert Flexthane

Sole PU/PU





0%  
METAL

**JALELEC** ESD S1P CI HI SRC

CODE : JIJ1156

SIZE : 35 - 48



0%  
METAL

**JALMECA** ESD S1P CI HI SRC

CODE : JIJ1256

SIZE : 35 - 48



0%  
METAL

**JALCLOUD** ESD S1P CI SRC

CODE : JIJ1134

SIZE : 35 - 48



0%  
METAL

**JALDATA** ESD S1P CI SRC

CODE : JIJ1234

SIZE : 35 - 48



0%  
METAL

**JALKANBAN** ESD S1P CI SRC

CODE : JIJ1166

SIZE : 35 - 48



0%  
METAL

**JALLEAN** ESD S1P CI SRC

CODE : JIJ1266

SIZE : 35 - 48

Upper Rio suede leather

Lining 3D Surf mesh

Toe cap Springtane B

Insole Maxi Soft Duo

Anti-puncture insert Flexthane

Sole PU/PU





## ASEPTANE



Aseptane is a resin-soaked microfibre that has many properties:

- + Exceptional waterproofing and breathability
- + Easy to clean and look after
- + Ideal for use in wet and splash-prone environments



### JALCALCIUM ESD S2 SRC

CODE : JIJ1282

SIZE : 35 - 48



### JALGRAPHITE ESD S2 SRC

CODE : JIJ1272

SIZE : 35 - 48

Upper	Aseptane
Lining	3D Surf mesh
Toe cap	Springtane B
Insole	Maxi Soft Duo
Sole	PU/PU

ASEPTANE

Springtane B

Maxi  
SOFT  
Duo

BASF  
We create chemistry

0%  
METAL

LINK-ESD



## QuickLio™



QuickLio™ 2 en 1 technical lace loop keeps laces in place for **quick lacing** and **untieability**.



**JALBUMPER** ESD S3 CI SRC

SOLE : PU/PU

CODE : JIJI174

SIZE : 35 - 48



**JALTRAILER** ESD S3 CI SRC

SOLE : PU/PU

CODE : JIJI184

SIZE : 35 - 48



**JALROADSTER** S3 CI HI HRO SRC

SOLE : PU/VIBRAM

CODE : JIJI194

SIZE : 35 - 48



**JALTRUCK** ESD S3 CI SRC ●

SOLE : PU/PU

CODE : JIJI284

SIZE : 35 - 48

Upper Full-grain leather with Pull-up finish

Lining 3D Surf mesh

Toe cap Springtane B

Insole Maxi Soft Duo

Anti-puncture insert Flexthane



Link-ESD







J-NUDE 2, better slip resistance and greater flexibility, but still featuring that unparalleled “barefoot” feeling and legendary breathability which made J-NUDE a success.



#UPPER  
FRAME

**JALKOHAI** ESD S3 SRC ●

CODE : 00JN128

SIZE : 35 - 47



#UPPER  
FRAME

**JALDOJO** ESD S3 SRC ●

CODE : 00JN101

SIZE : 35 - 47



#UPPER  
FRAME

**JALREI** ESD S3 SRC

CODE : 00JN129

SIZE : 35 - 47



#UPPER  
FRAME

**JALTAI** ESD S3 SRC

CODE : 00JN103

SIZE : 35 - 47

- Upper Water-repellent full-grain eather with a pull-up finish and a TPU grid reinforcement
- Lining 3D Surf mesh
- Toe cap Springtane B
- Insole Soft + Gel
- Anti-puncture insert Flexthane
- Sole J-NUDE 2 PU/PU



**SOFT+GEL**

**0%  
METAL**



**LINK-ESD**





**JALJAB** ESD S3 SRC

UPPER : Water-repellent full-grain leather and fabric

CODE : 00JN119

SIZE : 35 - 47

**JALCROSS** ESD S3 SRC

UPPER : Water-repellent full-grain leather and fabric

CODE : 00JN120

SIZE : 35 - 47

**JALATHLON** ESD S3 SRC ●

UPPER : Water-repellent full-grain leather and fabric

CODE : 00JN107

SIZE : 35 - 47

**JALCATCH** ESD S1P SRC ●

UPPER : Synthetic nubuck with a breathable fabric insert

CODE : 00JN126

SIZE : 35 - 47

Lining 3D Surf mesh  
 Toe cap Springtane B  
 Insole Soft + Gel  
 Anti-puncture insert Flexthane  
 Sole J-NUDE 2 PU/PU



**SOFT+GEL**



**Link-ESD**







**Lightness** is an essential component of **comfort**. Thanks to new, ultra-light materials that maintain excellent technical performance, the **HELIUM** collection succeeds in guaranteeing the best "durability/weight" ratio, by reconciling workstation **resistance** with an **unrivalled feeling of lightness**.

Models in the **HELIUM** collection are **ideal for use in less demanding environments**, in transport, logistics, light industry, construction, retail and services.





## UPPER



PU TEK® STAR technology uses new, highly abrasion-resistant yarns, for greater tenacity and enhanced performance, above and beyond normative requirements. These highly resistant, water-repellent fabrics enable us to produce ultra-lightweight, ultra-breathable S3 products.



Light microfiber with waterproofing and breathability performances comparable to standard leathers.



Highly abrasion-resistant, ultra-breathable CANVAS fabric for extended wear and optimum foot comfort.

## INSOLE



SOFT Light insole made of ultra-light expanded polymer, placed directly under the soles of the feet, SOFT Light improves weight distribution by cushioning pressure points and providing a positive energy return.

## ANTI-PUNCTURE INSERT



Composite anti-puncture insert made of non-woven fabric 54% lighter than a standard anti-puncture insert, compliant with standard 22568-4:2021, antistatic, sewn directly onto the upper and covering 100% of the foot for all-round protection. This insert is made from 77% recycled polyester.





**JALPATRIOT** ESD S3 CI SRC

CODE : JVJV103      SIZE : 35 - 48



**JALNATION** ESD S3 CI SRC

CODE : JVJV203      SIZE : 35 - 48



**JALSPACE** ESD S3 CI SRC

CODE : JVJV101      SIZE : 35 - 48



**JALAERO** ESD S3 CI SRC

CODE : JVJV201      SIZE : 35 - 48



**JALSTRATO** ESD S3 CI SRC

CODE : JVJV206      SIZE : 35 - 48



**CARBON NEUTRAL**



**JALTOUNDRA** ESD S3 CI SRC

UPPER : Recycled Putek Spider

CODE : JVJV207      SIZE : 35 - 48

Upper	Putek® STAR Light
Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft Light
Anti-puncture insert	Flex-Light-R
Sole	PU Light of BASF®





### JALTAIL ESD S3 CI SRC

UPPER : Breathable Light microfiber

CODE : JVJV102      SIZE : 35 - 48



### JALWING ESD S3 CI SRC

UPPER : Breathable Light microfiber

CODE : JVJV202      SIZE : 35 - 48



### JALLADY ESD S3 CI SRC

UPPER : Breathable Light microfiber

CODE : JVJV204      SIZE : 35 - 42



### JALPLUME ESD S1P CI SRC

UPPER : Breathable Light fabric

CODE : JVJV205      SIZE : 35 - 48



Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft Light
Anti-puncture insert	Flex-Light-R
Sole	PU Light of BASF®






## PROTECTION & COMFORT

The GORE-TEX® membrane – the hidden secret at the core of GORE-TEX® Footwear offers high climate comfort in all working weather conditions.

Water stays out while sweat escapes.

GORE-TEX® footwear keep your feet dry and comfortable.



To meet the specific requirements of climate, professional environment, activity level and end use, Gore has special laminates.

Jallatte has chosen Comfort & Performance laminate :

- Durable waterproof
- Breathable
- Moderate thermal insulation for a wide range of temperatures.

Ideal for changing weather and wide range of activities.

## PROVEN QUALITY UNDER UNCOMPROMISING TESTING CONDITIONS



### WATERPROOFNESS

GORE-TEX® Footwear has to withstand up to 300,000 flex movements (80 hours) in anklehigh water – without allowing one single drop of water to penetrate inside the boot. EN ISO standard 20344 requires only 4800 flexes (80 minutes) and 3 cm<sup>2</sup> water entry is allowed.



### BREATHABILITY

The materials used in GORE-TEX® Footwear achieve a breathability value up to six times higher than the values specified in EN ISO standard 20345/47.



### DURABILITY

Inner lining and upper materials of GORE-TEX® Footwear have to withstand up to four times more abrasion movement than specified in by the EN ISO standard.



JALGAND p51  
**SYNERGY**



JALSIBERIEN p56  
**J-ESCAPE**



JALROCHE p56  
**J-ESCAPE**



JALCLIMATE p22  
**J-ENERGY**



JALACER p56  
**J-ESCAPE**



JALPOLE p62  
**Softane**  
Avant-Garde



JALTERRE p56  
**J-ESCAPE**



JALTEX p60  
**Softane**  
Adventure



JALTERRE METAL FREE p56  
**J-ESCAPE**



GORE-TEX® footwear far exceeds the requirements of EN ISO 20345 for  
waterproofness, breathability and durability.





## The first OUTDOOR energy-saving collection

Codeveloped collection by, and for major players in, the construction, rail transport, cleaning and energy sectors.

The « **SYNERGY** » line is a perfect union between a profile cleat system for outside use and a sole capable of releasing energy.



**SYNERGY** styles feature a sole with BASF's Infinergy® technology that **returns over 55% of the energy stored** while walking. All this for exceptional **cushioning** and a guaranteed **antifatigue** effect.





The SYNERGY collection is evolving thanks to the PU "scuffcap", which guarantees superior, optimal protection at the front of the foot.

This "scuffcap" allows you to work on your knees without the risk of premature wear and tear of the material on the front of the toe cap.



### JALGAND S3 CI WR SRC

UPPER : Full grain water resistant leather finition PULL-UP

LINING : Membrane GORE-TEX®

CODE : JYJY231

SIZE : 38 - 47



### JALVISTA S3 CI WR SRC ●

UPPER : PUTEK® PLUS highly resistant to abrasion, water resistant and breathable

LINING : Membrane GORE-TEX®

CODE : JYJY253

SIZE : 38 - 47



### JALNORA ESD S3 CI SRC

UPPER : PUTEK® PLUS highly resistant to abrasion, water resistant and breathable

LINING : 3D Surf mesh

CODE : JYJY252

SIZE : 38 - 47

Toe cap PremAlu B

Insole Soft

Anti-puncture insert Flexthane

Sole Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®



PremAlu B

Infinergy®

Made with Infinergy® by BASF

SOFT





**JALANGO** ESD S3 CI SRC

CODE : JYJY497

SIZE : 38 - 48

**BOA® Fit System** lets you quickly put on and take off the safety shoes. Traditional laces are replaced with a stainless steel wire connected to a mechanical knob that lets you fasten, lock and unfasten the wire.



This lace-free fastening system **prevents the risk of falling** and **eliminates compression points**

**JALALTA** ESD S3 CI SRC

CODE : JYJY495

SIZE : 35 - 48

**JALTANO** ESD S3 CI SRC

CODE : JYJY496

SIZE : 35 - 48



QuickLio™ 2 en 1" technical lace loop keeps laces in place for **quick lacing** and **untieability**.

Upper	Full-grain leather with Pull-up finish
Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®

**SOFT****PremAlu B****Infinergy®**

Made with Infinergy® by BASF





## JALTARAK S3 CI HI AN SRC

CODE : JYJY226

SIZE : 35 - 48



## JALMUDO S3 CI SRC

CODE : JYJY223

SIZE : 38 - 47



## JALFARO S3 CI SRC

LINING : Isotermal

CODE : JYJY224

SIZE : 38 - 47



## JALBARAD S3 CI HI SRC

CODE : JYJY222

SIZE : 38 - 47



## JALDAGOR S3 CI SRC ●

CODE : JYJY225

SIZE : 38 - 47

Upper Full-grain leather with Pull-up finish

Lining 3D Surf mesh

Toe cap PremAlu B

Insole Soft

Anti-puncture insert Stainless steel

Sole Triple density with high energy return  
PU2D/E-TPU Infinergy® from BASF®





## MORE SECURITY, FOR MORE SERENITY, AT ALL TIMES

Vibram® is the world leader in the technological development and manufacture of high-performance rubber soles, for the outdoor, work safety, lifestyle, orthopaedic and repair markets. For more than 80 years, the unmistakable yellow octagon has been the symbol of a company synonymous with **quality, performance, safety, innovation and design.**

From the moment we created the first rubber sole for mountaineering, Vibram® has become a benchmark in the footwear market. Vibram® soles – derived from a desire to **boost safety and protection** – are known all over the world, and are the result of a constant commitment to research and development.



This stroke of genius led to the début of the first soles branded Vibram® – a combination of the inventor's first name and surname – and the famous Carrarmato sole that revolutionised both mountaineering and the world of footwear, allowing for unprecedented performance in terms of **abrasion resistance, traction and grip.**

The Vibram® story began in 1936, when Vitale Bramani (an Academic of the Italian Alpine Club), on his return from a mountaineering ascent that ended in tragedy (1935), came up with the idea of making footwear soles using the same technique employed for making vehicle tyres.

## VIBRAM® TESTS

Each and every Vibram sole must pass 3 levels of testing before it reaches the market. This series of tests ensures the **product quality meets and use requirements.**



### LAB TESTS


The physical-mechanical characteristics of the soles are tested by machines. The objective is to measure the resistance of the sole sole to slips, abrasion, elasticity, hardness and density.



### IN VIVO TESTS

- Indoor testing on shoes equipped with Vibram® flat soles.
- Tests performed by technicians according to a specific protocol.

The objective is to measure the performance of the gum to rubber.



### FIELD TEST


- Indoor Testing on shoes with flat sole design.
  - Run on shoes by humans with scientific protocols ("in vivo")
- Test samples : flat design soles to focus on compound performance Output : trustable compounds comparison.

The secret of Vibram® performance lies in the perfect combination of the **hyperfunctional DESIGN** of the soles and the use of **exclusive RUBBER varieties**.



## TRUCKER

1194



■ GRIP ■ TRACTION ■ BRAKING ■ STABILITY ■ CUSHIONING ■ SELF-CLEANING



- Engineered for use in a wide range of work and safety environments
- Provides a high level of grip and durability
- Excellent heat and tear resistance

BEST FOR



Safety

### DESIGN & TECHNOLOGY

- 1 Large contact area for grip on industrial contaminated floors
- 2 Reinforced cleats for stability and durability
- 3 Oil draining channels to enhance grip and safety



0%  
METAL**JALROCHE** S3 CI HI WR HRO SRC

CODE : 00JJV01

SIZE : 38 - 47

**JALACER** S3 CI HI WR HRO SRC

CODE : 00JJE23

SIZE : 38 - 47

0%  
METAL3M  
**Thinsulate**  
INSULATION**JALSIBERIEN** S3 CI HI WR HRO SRC

CODE : 00JJV33

SIZE : 38 - 47



Waterproof and maximum grip

0%  
METAL**QuickLio™****JALTERRE METAL FREE ●**

S3 CI HI WR HRO SRC

CODE : 00JJV45

SIZE : 38 - 47

**JALTERRE** S3 CI HI WR HRO SRC

CODE : 00JJV31

SIZE : 38 - 47

Upper	Pure full-grain leather
Lining	GORE-TEX® Membrane
Toe cap	Springtane B
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Vibram®



PULL-UP



PLEINE FLEUR





**JALIROK** S3 CI HI AN HRO SRC

CODE : 00JJE17

SIZE : 38 - 47



**JALSALIX** S3 CI HI HRO SRC

CODE : 00JJE16

SIZE : 38 - 47



**JALBOX** S3 CI HI HRO SRC

LINING : Isotermal

CODE : 00JJE19

SIZE : 38 - 47



**JALHICKORY** S3 CI HI HRO SRC

CODE : 00JJE15

SIZE : 38 - 47



**JALKHAYA** S3 CI HI HRO SRC

CODE : 00JJE18

SIZE : 38 - 47

Upper	Full-grain leather with Pull-up finish
Lining	3D Surf mesh
Toe cap	Springtane B
Insole	Soft
Anti-puncture insert	Stainless steel
Sole	Vibram®





0%  
METAL

NEW

0%  
METAL

QuickLio™

**JALARCHER** S3 CI HI HRO SRC

UPPER : Full grain water resistant leather

LINING : 3D Imola mesh

ANTI-PUNCTURE INSERT : Flexthane

CODE : 00JJV28

SIZE : 38 - 47

**JALDARK** S3 CI HI HRO SRC

UPPER : Full grain water resistant leather

LINING : 3D Surf mesh

ANTI-PUNCTURE INSERT : Flexthane

CODE : 00JJE64

SIZE : 38 - 47

Toe cap Springtane B

Insole Soft

Sole Vibram®

Springtane B

SOFT











## JALTEX S3 CI WR SRC

UPPER : Full-grain leather with Pull-up finish

LINING : Membrane GORE-TEX®

CODE : 00JJV53

SIZE : 38 - 47



## JALEBENE S3 CI SRC

UPPER : Full grain water resistant leather

CODE : 00JJE65

SIZE : 38 - 47



## JALWENGÉ S3 CI SRC

UPPER : Full grain water resistant leather

CODE : 00JJE70

SIZE : 38 - 47



## JALWILLOW ESD S3 CI SRC

UPPER : Full-grain leather with Pull-up finish

CODE : 00JJE63

SIZE : 38 - 47



Excellent leather impermeability no water penetration after 7h of testing

Lining	3D Surf mesh
Toe cap	Springtane B
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Softane Bi-density





ANKLE  
PROTECTOR

## JALFIR S3 CI AN SRC

CODE : 00JJE41

SIZE : 38 - 47



## JALBEECH S3 CI SRC

CODE : 00JJE44

SIZE : 38 - 47



## JALCYPRESS S3 CI SRC

LINING : Isotermal

CODE : 00JJE45

SIZE : 38 - 47



## JALSEQUOIA S3 CI SRC

CODE : 00JJE42

SIZE : 38 - 47



## JALOAK S3 CI SRC

CODE : 00JJE40

SIZE : 38 - 47

Upper	Full-grain leather with
Lining	Pull-up finish
Toe cap	3D Surf mesh
Insole	Springtane B
Anti-puncture insert	Soft
Sole	Stainless steel
	Softane Bi-density







### JALPOLE S3 CI WR SRC

LINING : GORE-TEX® Membrane

ANTI-PUNCTURE INSERT : Stainless steel

CODE : 00JJS11

SIZE : 37 - 48



0%  
METAL

### JALFRIGG S3 CI SRC

LINING : Isothermal

CODE : 00J0652

SIZE : 35 - 48



0%  
METAL

### JALHAKA S3 SRC

CODE : 00J0650

SIZE : 35 - 48



0%  
METAL

### JALOSBERN S3 SRC

CODE : 00J0662

SIZE : 35 - 48



Upper	Natural full grain leather AP23™, Water and oil repellent
Toe cap	Springtane B
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Softane Bi-density



**SOFT**

Springtane B



## JALOSBERN STEEL S3 SRC

INSOLE : Soft

CODE : 00JJB21

SIZE : 35 - 48



## JALOSBERN WINTER STEEL S3 CI SRC

LINING : Isothermal

INSOLE : Soft

CODE : 00JJB22

SIZE : 35 - 48



## JALBORG STEEL S3 CI HI SRC

LINING : 3D Surf mesh

INSOLE : Soft + Gel

CODE : 00J0701

SIZE : 35 - 48

MAXIMUM SAFETY  
FOR ALL 3 MODELS :

**"Flexthane HP"**  
**Inox Steel**

Double anti-puncture :  
Flexthane + Stainless steel

Upper	Natural full grain leather AP23™, Water and oil repellent
Toe cap	Springtane B
Anti-puncture insert	Flexthane and Stainless steel
Sole	Softane Bi-density



Springtane B







Full-grain leather AP23™, exclusive to Jallatte, **100% natural**, it is **water** and **oil repellent**.

Compared to the majority of leathers used in safety footwear, it has an increased thickness of between 10% and 15% (2.4 mm), which ensures excellent durability.

In addition, its **water-repellent potential** far exceeds the one required by European standards (12 hours of water repellency).





## JALASKA S3 SRC

UPPER : Natural full grain leather AP23™,  
Water and oil repellent  
LINING : Nonwoven fabric  
CODE : 00J0266      SIZE : 36 - 48



## JALARTIC S3 CI SRC

UPPER : Natural full grain leather AP23™,  
Water and oil repellent  
LINING : Isotermal  
CODE : 00J0257      SIZE : 36 - 48



## JALMONT EVOL SAS S3 FO SR

UPPER : Water-repellent full-grain leather  
with grained finish  
LINING : Synthetic  
CODE : 00J0255      SIZE : 36 - 48



## JALMONT BETON EVOL SAS S3 FO SR

UPPER : Full-grain leather, resistant to active  
cement agents  
LINING : 3D Surf mesh  
CODE : 00J0254      SIZE : 36 - 48



## JALMATCH S1P SRC

UPPER : Smooth perforated suede leather  
LINING : 3D Imola mesh  
CODE : 00J0351      SIZE : 36 - 47



Toe cap	Steel Aérfort 200J
Insole	Confort Tech
Anti-puncture insert	Stainless steel
Sole	Softane Bi-density







## JALEREC S3 SRC

UPPER : Full-grain leather with Pull-up finish  
CODE : 00JMJ07      SIZE : 35 - 47



## JALGERAINT S3 SRC

UPPER : Full grain water resistant leather  
CODE : 00JMJ06      SIZE : 35 - 47



## JALGAHERIS S3 SRC

UPPER : Full grain water resistant leather  
CODE : 00JMJ04      SIZE : 38 - 47



These models are DGUV 112-191 certified, which means they can be substituted with a SECOSOL® orthopaedic liner.

Lining	3D Imola mesh
Toe cap	Springtane 200J
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Softane Bi-density



PLEINE FLEUR



Springtane B

0%  
METAL









# SPECIALS

The safety footwear in the **SPECIALS** collection uses technologies that **ensure optimum protection** for users, **extend product life** and **improve comfort** while preserving foot health.

These **3 new models** have been specifically **developed for high-risk jobs in heavy industry**, steelmaking and industrial maintenance, as well as for metalworkers, boilermakers and locksmiths.



**JALMAGMA** S3 CI HI HRO WG SRC

CODE : JYJY506

SIZE : 38 - 48

**JALPLASMA** S3 CI HI HRO WG SRC

CODE : JYJY505

SIZE : 38 - 48

**JALTIG** S3 CI HI HRO WG SRC

SOLE : Triftane X Vibram®

INSOLE : Soft+Gel

CODE : JXJX912

SIZE : 35 - 48

**JALELITE** S3 CI HI HRO SRC

CODE : JYJY507

SIZE : 35 - 48



The **Vibram® sole** offers a high level of grip and durability as well as excellent resistance to heat and tears.

The **WG\* Standard** guarantees that the upper can withstand small molten metal splashes.

*\*Test conducted according to the requirements of standard EN ISO 20349-2:2017 + A1:2020*



Upper	Full-grain leather with Pull-up finish
Lining	3D Surf mesh
Toe cap	PremAlu B
Insole	Soft
Anti-puncture insert	Flexthane
Sole	Triple density PU / BASF® Infinergy® E-TPU with high energy return / Vibram®





# **JALELITE** **S3 CI HI HRO SRC**

Code : JYJY507

Size : 35-48

**BOA****NO-LACE FASTENING**

For optimum support and stability

**FITTING AID****LEATHER BELLOWS**

Prevents particle intrusion

**REFLECTIVE SIDE INSERT**

For good visibility at night

**PU RUN-UP FRONT**

For greater durability of the product

**Infinergy**

Made with Infinergy by BASF

**INFINERGY® INSERT**  
 +55% energy restitution
**UPPER**
 Water-repellent  
 full-grain leather  
 Pull-Up finish
**SOFT****INSOLE**

For better weight distribution

**VIBRAM® SOLE**
 Contact heat resistance (300°)  
 and abrasion resistance





# THE



- + Ideal for security, rescue and surveillance units
- + Excellent grip and durability thanks to Vibram® sole
- + Prevents the risk of falls and eliminates compression points thanks to the BOA® Fit System closure system
- + Saves 1 hour of energy per day to stay toned
- + Ideal for reducing fatigue in heavy walkers
- + Reduces the risk of lower-limb RSI



**JALMARS S3 HRO SRC**

UPPER : Pure full-grain leather

LINING : 3D Imola mesh

ANTI-PUNCTURE INSERT : Stainless steel

CODE : 00J0246

SIZE : 36 - 47

**JALSCAND S3 HRO SRC**

UPPER : Pure full-grain leather

LINING : 3D Imola mesh

ANTI-PUNCTURE INSERT : Stainless steel

CODE : 00J0248

SIZE : 36 - 47

SPECIFIC  
COATED**JALTARMAC S3 HI HRO SRC**

UPPER : Full grain water resistant leather

LINING : Leather

ANTI-PUNCTURE INSERT : Stainless steel and  
Isoltane

CODE : 00J0250

SIZE : 38 - 47

**ASEPTANE****JALBIO S2 HRO SRC**

UPPER : Aseptane, waterproof and breathable

LINING : Fabric

CODE : 00J0271

SIZE : 35 - 47

Toe cap Steel Aérfort 200J  
Insole Confort Tech  
Sole Triftane™ Vibram®









## The first collection of energy-saving safety footwear

J-PRO is 20347 compliant (without safety toecap) but goes far beyond the standard requirements set out by the standard, as all styles in the collection incorporate additional **A**, **E**, **WRU**, **FO**, **SRC** and **ESD** requirements.



Antistatic  
electrical  
resistance



Energy  
absorption  
at heel



Water repellent  
upper



Resistance  
of sole to  
hydrocarbons



SRC  
Slip resistance



More than 55% in terms of energy stored during walking **exceptional cushioning** and a guaranteed **anti-fatigue effect**.



Xtensible™ non-tied elastic laces with adjustable Stop-Lace lock :

- \* Eliminates the feeling of having swollen feet
- \* Allows them to be put on and taken off rapidly
- \* Reduces the risk of falling



**Speed, safety, comfort** and **hygiene** at the service of the workers.





LIGHT



FLEXIBLE



ANTIFATIGUE



ANTI-SLIP





**JALSALT** ESD O2 FO SRC

LINING : 3D Roma mesh

CODE : JOJO205      SIZE : 35 - 48

**JALLABO** ESD O2 FO SRCUPPER : Breathable and waterproof  
microfiber

LINING : 3D Roma mesh

CODE : JOJO213      SIZE : 35 - 48

**JALNIGEL** ESD O2 FO SRC

LINING : 3D Surf mesh

CODE : JOJO212      SIZE : 35 - 48

**JALPEPPER** ESD O2 FO SRC

LINING : 3D Surf mesh

CODE : JOJO204      SIZE : 35 - 48

**SAKINA** ESD O2 FO SRC

LINING : 3D Surf mesh

CODE : JOJO201      Size : 35 - 42

- Upper** PUTEK® PLUS highly resistant to abrasion, water resistant and breathable
- Insole** Soft + Gel
- Sole** Triple density with high energy return PU2D/E-TPU Infinergy® from BASF®





### JALBOSS ESD O2 FO SRC

UPPER : PUTEK® PLUS highly resistant to abrasion,  
water resistant and breathable

LINING : 3D Surf mesh

CODE : JOJO210      SIZE : 38 - 48



### JALDEREK ESD OB A E WRU FO SRC

LINING : 3D Surf mesh

CODE : JOJO208      SIZE : 35 - 48



### MEREDITH ESD OB A E WRU FO SRC

LINING : 3D Surf mesh

CODE : JOJO206      SIZE : 35 - 42



### MIRANDA ESD OB A E WRU FO SRC

LINING : 3D Imola mesh

CODE : JOJO207      SIZE : 35 - 42



Upper Microfiber Aseptane  
Insole Soft + Gel  
Sole Triple density with high energy  
return PU2D/E-TPU Infinergy®  
from BASF®





FOOTBED

**SOFT**



**SOFT**

SIZE : 35 - 48

CODE : JS 00002

**SOFT+GEL**



**SOFT + GEL**

SIZE : 35 - 48

CODE : JS 00003

**Maxi SOFT Duo**




**MAXI SOFT DUO\***

SIZE : 35 - 48

CODE : JS 00004

*\*Only for the models J-INDUSTRY and J-INDUSTRY labelled RESPECT*

J'RESPECT FURNITURE



**J'respect**

**3 MODULE CARDBOARD PODIUM**

MEASUREMENTS : L46 x H138 cm

CODE : ES00141

J-EXPO FURNITURE

New Jallatte® ecological & sustainable furniture



Assembly  
quick & easy



PODIUM DUO MOBILE

HIGH MOBILE

MEASUREMENTS : L58,2 x H105,7 x B40 cm  
CODE : ES00118

LOW MOBILE

MEASUREMENTS : L58,2 x H65,2 x B40 cm  
CODE : ES00117



4 FOOT DISPLAY STAND

MEASUREMENTS : L40 x H178,1 x B37,5 cm  
CODE : ES00115



SHELVING WITH WHEELS

MEASUREMENTS : L111,4 x H198,1 x B37,7 cm  
CODE : ES00116



## UPPER



Water-repellent full-grain leather



Velvety-appearance leather that is soft and breathable



Suede leather, soft and excellent breathability



Water-repellent full-grain leather with a pull-up finish. Very waterproof



AP23™ leather, exclusive Jallatte, 100% natural, it is water and oil repellent. 10% to 15% thicker than most of the leathers used for safety footwear (2,4mm), ensuring excellent durability. Moreover, its properties of resistance to penetration of water vapor exceed the minimum values required by the European standard



Water-repellent full-grain leather with pull-up finish. Excellent waterproofing of the leather, not even a drop of water after 7 hours of testing.



Putek® plus Technology uses newly developed high resistance abrasion yarns, woven directly into the fabric, to obtain high-tenacity and high-performance abrasion resistant fabrics.

These highly resistant and water-repellent fabrics allow the creation of ultralight and ultra-breathable S3 products



- Special fiber that thanks to a specific finish features unique qualities :
- Exceptional impermeability and breathability
- Resistance to washing (even at 30 °)
- Incredible ease of cleaning and maintenance



Technology consisting of a superstructure grid made of TPU and designed for an enhanced support of the upper. Promoting the "seamless" concept, it contributes to an increased durability of the shoes



Technical 100% polyester fabric, highly abrasion resistant and ultra-breathable for a long life and optimum comfort for the foot

## LINING



A GORE-TEX® membrane is an **extremely thin** layer of expanded polytetrafluoroethylene (ePTFE). It contains more than 1.4 billion pores per cm². All these pores guarantee the properties of GORE-TEX® fabrics. It is only 0.01 mm thick. It is attached to a lining or a **high-performance outer fabric**, which results in a GORE-TEX® laminate.



Breathable thermal insulating lining designed to ensure the perfect balance inside the shoe in any condition the perfect equilibrium inside the footwear. It keeps you cool in summer and warm in winter.



3D mesh lining, that is technical, **innovative and anti-bacterial**, capable of combining **high performance breathability** and **abrasion resistance** with a feeling of softness and comfort. Its special 3-layer structure promotes thermoregulation to keep the foot dry and in complete comfort.



3D mesh lining, made using three-dimensional fabric and combined with a foam to ensure **protection** and **comfort**, in addition to an open structure (grille) **required for peripheral ventilation of the foot**.

The lining has a specially designed honeycomb structure and uses micro ventilation channels to ensure **high levels of breathability**. It is also **resistant to abrasion**, tearing and cutting.



3D mesh lining, with micro-ventilation technology, smooth appearance, 3-layer structure consisting of a textile mesh, foam and reinforcement grille. **High mechanical strength** (abrasion and tearing) and **rapid drying**.

## TOE CAP



Steel toe cap resistant to 200 J. Perforated for **increased breathability**



Lightweight, non-magnetic 200J aluminium toe cap. While providing the same **strength**, it is **51% lighter than a steel toe cap**. More **resistant to impact and possible compression**, the B toe cap meets the higher requirements of the new EN ISO 22568-4:2020 standard (new requirements and test methods for footwear components).



Synthetic polymer toe cap, resistant to 200 J, **non-magnetic** and **non-thermal**. **Memory foam** toe cap, it returns to its original shape in the event of crushing, thus facilitating the release of the foot. More **resistant to impact and possible compression**, the B toe cap meets the higher requirements of the new EN ISO 22568-4:2020 standard (new requirements and test methods for footwear components).



## INSOLE

### SOFT



SOFT insole made using BASF® dynamic polyurethane with **memory foam**, that is **heat-sensitive** and active over the entire surface of the foot.

It is right beneath the soles of the feet that SOFT **improves weight distribution** by cushioning pressure points and allowing **positive energy to be returned**.

### SOFT+GEL



Bi-material comfort insole : SOFT+GEL consisting of :

- a SOFT insert made using BASF® Dynamic polyurethane with memory foam, which is **heat-sensitive** and active over the entire surface of the foot.

It is right beneath the soles of the feet that SOFT **improves weight distribution** by cushioning pressure points and allowing **positive energy to be returned**.

- a two-zone GEL insert with **high cushioning capability** at the heel and anatomical extension beneath the midfoot.

Its design allows for **improved heel shock cushioning** while still providing **excellent sole support**.

### Maxi SOFT Duo



This **removable** insole is made of 2 materials :

- A 'SOFT' BASF® dynamic polyurethane layer including memory foam, which is heat-sensitive and active over the entire surface of the foot.

Under the soles of the feet, SOFT **improves weight distribution** by reducing pressure points and the feeling of discomfort.

- An integrated 'MAXI'-size anti-fatigue insert made of BASF® Elastopan, an elastomer that is used in anti-fatigue mats.

Positioned beneath the base layer, this MAXI insert **cushions and alleviates stress on the body**, which is forced to stand upright for many hours a day, both while in motion and while walking, thus **reducing the risk of MSDs** (musculoskeletal disorders) in the lower limbs.



Lined with an **anti-bacterial, breathable fabric**, and reinforced in the heel area for improved **shock absorption**.

- Anatomical
- Removable
- Antistatic
- Covers 100% of the foot surface

## ANTI-PUNCTURE INSERT



Extra soft textile inlay made of **high-strength** fabric :


- Strength 1.100N
- Non-magnetic
- Athermic
- Complies with EN ISO 22568-4:2020 standards
- Covers 100% of the foot surface



Anti-perforation midsole in stainless steel :

- Strength 1.100 N
- Maximum protection

## SOLE



**J-nude 2 J-INDUSTRY**

PU/PU

BASF® PU/PU sole with a **sporty, urban sport** featuring a linear profile and **excellent slip-resistance**.



**J-ENERGY**



Triple density PU / E-TPU Infinergy® by BASF® / Vibram®.

This triple-density outsole is ideal for those who travel frequently or over long distances every day. Its combination with Vibram® ensures greater durability and better slip resistance.



**J-ENERGY**

PU2D/E-TPU Infinergy of BASF®

Designed with an innovative material used in the **world of running**, this **triple density sole** ensures dynamic performance in 3 phases : **shock absorption, energy storage and dynamic return**. They are ideal for all those who are subject to frequent movements and who travel long distances daily.



**J-HOP!**

PU/PU Extra-Rebound 41,5% by BASF®

With over **40% energy resistance** over the entire surface, both in the support phase and in the thrust phase, this PU/PU Extra-Rebound 41,5% by BASF® sole brings **lightness, wellness and comfort, reducing the feeling of tiredness** both in an upright position and in prolonged activity situations.





**TAPIS ROUGE**

PU2D/Elastopan by BASF®

This triple density sole made with a revolutionary elastomer used for the production of **antifatigue** mats distributes the plantar pressures; it is able to **absorb and relieve body stress by reducing the traumas** associated with a prolonged static working position. Ensures high performance in terms of comfort, balance and shock distribution.



**TRIFTANEX** 

TRIFTANE X is equipped with a **new Vibram® sole**, which guarantees more **durability** and **better resistance to slipping** and on **hot surfaces**.



**J-ESCAPE SPECIALS**

Decades of **experience** and **excellence** in sport and mountaineering at the service of the working world today. The Vibram® rubber sole is suitable for every situation, light but **extremely resistant** and performing even in **extreme conditions**.



**Softane** **Softane** **Softane** **Softane**

Tradition

Avant-Garde

Prestige

Adventure

The special **bi-density polyurethane** SOFTANE is designed to achieve the perfect balance between **comfort, lightness and durability**. The midsole is developed with a density such as to ensure flexibility and absorption of vibrations and impacts with the ground, while the outsole is designed to **resist to abrasion, hydrocarbons, oils and grease**.



**TRIFTANE**  
Excellence



The Vibram® Triftane sole made from high-performance rubber guarantees better mechanical resistance to abrasion, detachment and tears. It brings a higher level of grip to reduce the risk of slipping, but also better protection against hot floors (HRO certification/resistance to hot contact up to 300°C).

## VARIOUS



BOA® Fit System is a rapid, easy and accurate lacing system with no need for laces. **Eliminates the risk of falls** and untying laces.



Xtensible™ non-tied elastic laces with adjustable Stop-Lace lock :

- \* Eliminates the feeling of having swollen feet
- \* Allows them to be put on and taken off rapidly
- \* **Reducing risk of fall**

**Speed, safety, comfort and hygiene** at the service of the workers



QuickLio™ Technical "2 in 1" lace loop: holds laces in place for **quick lacing** and **untie**.



TPU cushioned insert positioned on the ankle area enabling the **full protection of the ankle bones** against possible side impacts. Conforms to the additional standards (AN) of EN ISO 20345:2011.



Innovative "multi-contact" system on the insole for **dissipating electrostatic charge**.

Thanks to LINK-ESD™, you will feel, step by step, as if you were connected to the ground thanks to a device certified according to the EN 61340-4-3 and EN 61340-5-1 standards, which ensures the **total absence of risks associated with possible electrical discharges harmful** to electronic and computer equipment.



**Internal orthopaedic insole** approved for safety footwear in accordance with DGUV 112-191 on the use of foot and knee protection.

DGUV 112-191 certification allows the replacement of the insole supplied by Jallatte with a SECOSOL® orthopaedic insole manufactured by Hartmann Matthias Orthopädie und Sport GmbH laboratories in Dillenburg, Germany.



Patented technology



Patent application filed



MODEL	STANDARD REQUIREMENTS	CODE	PAGE
INES ESD	S1P SRC	JYJY211	26
JALACER	S3 CI HI WR HRO SRC	00JJE23	56
JALACTIVE ESD	S1P CI SRC	JYJY102	24
JALADRIA ESD	S1P SRC	JHJH304	31 ●
JALAERO ESD	S3 CI SRC	JVJV201	46
JALALTA ESD	S3 CI SRC	JYJY495	52
JALANGO ESD	S3 CI SRC	JYJY497	52
JALARCHER	S3 CI HI HRO SRC	00J JV28	58
JALARTEMIS	S1P HRO SRC	JXJX902	33 ●
JALARTIC	S3 CI SRC	00J0257	65
JALASKA	S3 SRC	00J0266	65
JALATHLON ESD	S3 SRC	00JN107	43 ●
JALaubIER ESD	S3 CI HI SRC	JYJY464	12
JALBARAD	S3 CI HI SRC	JYJY222	53
JALBASALT ESD	S3 CI SRC	JIJ1534	11
JALBEECH	S3 CI SRC	00JJE44	61
JALBIO	S2 HRO SRC	00J0271	72
JALBOMBER ESD	S3 CI SRC	JYJY498	20
JALBORG STEEL	S3 CI HI SRC	00J0701	63
JALBOSS ESD	02 FO SRC	JOJ0210	77
JALBOX	S3 CI HI HRO SRC	00JJE19	57
JALBUMPER ESD	S3 CI SRC	JIJ1174	41
JALCALCIUM ESD	S2 SRC	JIJ1282	40
JALCARBO ESD	S3 SRC	JYJY217	25
JALCATCH ESD	S1P SRC	00JN126	43 ●
JALCERES ESD	S1P SRC	JHJH301	31 ●
JALCLIMATE	S3 CI WR SRC	JYJY137	22
JALCLOUD ESD	S1P CI SRC	JIJ1134	39
JALCROSS ESD	S3 SRC	00JN120	43
JALCYBER ESD	S3 CI HI SRC	JIJ1214	38
JALCYPRESS	S3 CI SRC	00JJE45	61
JALDAGOR	S3 CI SRC	JYJY225	53 ●
JALDARK	S3 CI HI HRO SRC	00JJE64	58
JALDATA ESD	S1P CI SRC	JIJ1234	39
JALDENIRO	S1P SRC	JYJY501	21
JALDEREK ESD	OB A E WRU FO SRC	JOJ0208	77
JALDIDO ESD	S3 CI SRC	JHJH309	29 ●
JALDOJO ESD	S3 SRC	00JN101	42 ●
JALDRAGSTER	S3S CI HI HRO FO SR	JYJY193	19
JALDYNAM ESD	S3 CI SRC	JYJY103	22
JALEBENE	S3 CI SRC	00JJE65	60
JALECO ESD	S3 CI SRC	JIJ1434	10
JALELEC ESD	S1P CI HI SRC	JIJ1156	39
JALELITE	S3 CI HI HRO SRC	JYJY507	70
JALEREC	S3 SRC	00JMJ07	66
JALEVA ESD	S3 CI SRC	JHJH307	30 ●
JALFARO	S3 CI SRC	JYJY224	53
JALFIR	S3 CI AN SRC	00JJE41	61

MODEL	STANDARD REQUIREMENTS	CODE	PAGE
JALFOREST ESD	S3 CI SRC	JYJY454	13
JALFRIGG	S3 CI SRC	00J0652	62
JALFUTURE ESD	S3 CI SRC	JIJ1414	10
JALGABBRO ESD	S2 FO SR	JIJ1522	11
JALGAHERIS	S3 SRC	00JMJ04	66
JALGALLIA ESD	S1P SRC	JHJH404	31 ●
JALGAND	S3 CI WR SRC	JYJY231	51
JALGEAR ESD	S3 CI SRC	JYJY232	23
JALGEAR-TR ESD	S3 CI SRC	JTJT705	35 ●
JALGERAINT	S3 SRC	00JMJ06	66
JALGRAPHITE ESD	S2 SRC	JIJ1272	40
JALGROVE ESD	S3 CI SRC	JYJY444	13
JALHAKA	S3 SRC	00J0650	62
JALHICKORY	S3 CI HI HRO SRC	00JJE15	57
JALHIPPO ESD	S3 CI SRC	JHJH406	30 ●
JALHYBRIS ESD	S3 CI SRC	JHJH408	29
JALHYDRO ESD	S3 CI SRC	JYJY484	12
JALHYGIE ESD	S3 SRC	JYJY216	25
JALHYRA	S3 CI HRO SRC	JXJX907	33 ●
JALIDA ESD	S1P SRC	JHJH302	31 ●
JALINO	S3 CI HRO SRC	JXJX006	33 ●
JALIROK	S3 CI HI AN HRO SRC	00JJE17	57
JALJAB ESD	S3 SRC	00JN119	43
JALJUNO ESD	S3 CI SRC	JHJH306	30 ●
JALKALLISTO ESD	S3 CI SRC	JHJH409	29 ●
JALKANBAN ESD	S1P CI SRC	JIJ1166	39
JALKHAYA	S3 CI HI HRO SRC	00JJE18	57
JALKOHAI ESD	S3 SRC	00JN128	42 ●
JALLABO ESD	02 FO SRC	JOJ0213	76
JALLADY ESD	S3 CI SRC	JVJV204	47
JALLEAN ESD	S1P CI SRC	JIJ1266	39
JALLIBER ESD	S3 CI SRC	JYJY474	12
JALMAGMA	S3 CI HI HRO WG SRC	JYJY506	69
JALMARS	S3 HRO SRC	00J0246	72
JALMATCH	S1P SRC	00J0351	65
JALMECA ESD	S1P CI HI SRC	JIJ1256	39
JALMETIS ESD	S3 CI SRC	JHJH308	29
JALMONT EVOL SAS	S3 FO SR	00J0255	65
JALMONT BETON EVOL	S3 FO SR	00J0254	65
JALMUDO	S3 CI SRC	JYJY223	53
JALNANO ESD	S3 CI SRC	JIJ1224	38
JALNATION ESD	S3 CI SRC	JVJV203	46
JALNATURE ESD	S3 CI SRC	JIJ1424	10
JALNIGEL ESD	02 FO SRC	JOJ0212	76
JALNITRO	S3S CI HI HRO FO SR	JYJY293	19
JALNORA ESD	S3 CI SRC	JYJY252	51
JALO2 ESD	S1P CI SRC	JIJ1446	10
JALOAK	S3 CI SRC	00JJE40	61

MODEL	STANDARD REQUIREMENTS	CODE	PAGE
JALONYX ESD	S3 CI SRC	JJI544	11
JALOSBERN	S3 SRC	00J0662	62
JALOSBERN STEEL	S3 SRC	00JJB21	63
JALOSBERN WINTER STEEL	S3 CI SRC	00JJB22	63
JALOXY ESD	S1P CI SRC	JJI556	11
JALPACINO	S3 CI SRC	JYJY500	21
JALPATRIOT ESD	S3 CI SRC	JVJV103	46
JALPEPPER ESD	02 FO SRC	JOJ0204	76
JALPEPS ESD	S1P CI SRC	JYJY201	24
JALPERFECT ESD	S3 CI SRC	JYJY251	20
JALPLASMA	S3 CI HI HRO WG SRC	JYJY505	69
JALPLUME ESD	S1P CI SRC	JVJV205	47
JALPOLE	S3 CI WR SRC	00JJS11	62
JALPOLYXO	S3 CI HRO SRC	JXJX906	33 ●
JALPROCESS ESD	S3 CI HI SRC	JJI114	38
JALPULSE ESD	S3 CI SRC	JYJY104	22
JALPULSE-TR ESD	S3 CI SRC	JTJT803	35 ●
JALPUNCH ESD	S1P CI SRC	JYJY101	24
JALPURE ESD	S3 CI SRC	JYJY250	20 ●
JALPYTHON ESD	S3 CI SRC	JJI244	38
JALQUARTZ ESD	S2 FO SR	JJI512	11
JALREI ESD	S3 SRC	00JNI29	42
JALRIVER ESD	S3 CI SRC	JYJY494	12
JALROADSTER	S3 CI HI HRO SRC	JJI194	41
JALROCHE	S3 CI HI WR HRO SRC	00JJV01	56
JALRUN ESD	S1P CI SRC	JYJY202	24
JALRUN-TR ESD	S1P SRC	JTJT701	35 ●
JALSALIX	S3 CI HI HRO SRC	00JJE16	57
JALSALT ESD	02 FO SRC	JO205	76
JALSCAND	S3 HRO SRC	00J0248	72
JALSEQUOIA	S3 CI SRC	00JJE42	61
JALSIBERIEN	S3 CI HI WR HRO SRC	00JJV33	56
JALSKIN ESD	S3 CI SRC	JYJY234	23
JALSOLID ESD	S3 CI SRC	JYJY134	23
JALSPACE ESD	S3 CI SRC	JVJV101	46
JALSPRING ESD	S3 CI SRC	JYJY203	22
JALSTRATO ESD	S3 CI SRC	JVJV206	46
JALTAÍ ESD	S3 SRC	00JNI03	42
JALTAIL ESD	S3 CI SRC	JVJV102	47
JALTANO ESD	S3 CI SRC	JYJY496	52
JALTARAK	S3 CI HI AN SRC	JYJY226	53
JALTARMAC	S3 HI HRO SRC	00J0250	72
JALTEA	S3 CI HRO SRC	JXJX007	33 ●
JALTECHNO ESD	S3 CI SRC	JJI124	38
JALTERRE	S3 CI HI WR HRO SRC	00JJV31	56
JALTERRE METAL FREE	S3 CI HI WR HRO SRC	00JJV45	56 ●
JALTEX	S3 CI WR SRC	00JJV53	61
JALTHIA ESD	S1P SRC	JHJH402	31 ●

MODEL	STANDARD REQUIREMENTS	CODE	PAGE
JALTIG	S3 CI HI HRO WG SRC	JXJX912	69
JALTONIC ESD	S3 CI SRC	JYJY204	22
JALTONIC-TR ESD	S3 CI SRC	JTJT703	35 ●
JALTOUNDRAS ESD	S3 CI SRC	JVJV207	14
JALTRAILER ESD	S3 CI SRC	JJI184	41
JALTREE ESD	S3 CI SRC	JYJY434	13
JALTRUCK ESD	S3 CI SRC	JJI284	41 ●
JALTURBO ESD	S3 CI SRC	JYJY132	23
JALTURBO-TR ESD	S3 CI SRC	JTJT805	35 ●
JALURANIA ESD	S3 CI SRC	JHJH407	30 ●
JALVISTA	S3 CI WR SRC	JYJY253	51 ●
JALVIVO ESD	S3 CI SRC	JJI447	10
JALWAVE ESD	S3 CI SRC	JYJY499	20
JALWENGE	S3 CI SRC	00JJE70	60
JALWING ESD	S3 CI SRC	JVJV202	47
LAIA ESD	S1P CI SRC	JYJY212	26
MEREDITH ESD	0B A E WRU FO SRC	JOJ0206	77
MIKY ESD	S3 CI SRC	JYJY109	26
MIRANDA ESD	0B A E WRU FO SRC	JOJ0207	77
NOA ESD	S3 CI SRC	JYJY209	26
SAKINA ESD	02 FO SRC	JOJ0201	76

● DISCONTINUED ITEM







Despite a revision of EN ISO 20345 in 2022, EN ISO 20345:2011 is still valid for new certification until November 11, 2024. Therefore, all certificates issued up to this date will be valid for 5 years, i.e. until November 11, 2029. During this transition period, the two versions of the standards will coexist. In our next 2024 catalog, we'll be unveiling all aspects of these new standards requirements, the new CE markings markings and their impact on the technological and safety choices of our collections.

CATEGORIES		FUNDAMENTAL REQUIREMENTS		ADDITIONAL REQUIREMENTS	SYMBOLS
EN ISO 20345:2011 Toe 200 J/15kN	EN ISO 20347:2012	Class I (shoe)	Class II (boot)		
SB		●	●		
S1		●		Closed heel area Antistatic properties Energy absorption in the heel	A E
	01	●		Resistance of the sole to hydrocarbons	FO
S2	02	●		Same as S1/01 plus: resistance to water penetration	E/FO WRU
S3	03	●		same as S2/02 plus: resistance to perforation. Cleated soles	A/E/WRU/ FO/P

### Slip resistance of the sole

Regulation: EN ISO 20345:2011 / 20347:2012

Marking symbol	Required conditions provided by the regulation
<b>SRA</b> Test surface: ceramics Lubricant: water and detergent	≥ 0.32 flat footwear ≥ 0.28 footwear inclined 7° towards the heel
<b>SRB</b> Test surface: stainless steel lubricant: Glycerin	≥ 0.18 flat footwear ≥ 0.13 footwear inclined 7° towards the heel
<b>SRC</b>	Both above described conditions required

ADDITIONAL SYMBOLS USED		REQUIRED MINIMUM VALUES EN ISO 20345:2011 + EN ISO 20347:2012
Resistance to perforation	P	≥ 1100 Newton
Electric resistance: - Antistatic - Conductive	A C	between 1x10 <sup>5</sup> Ω a 1x10 <sup>9</sup> Ω < 1x10 <sup>9</sup> Ω
Resistant to harsh environments : - Cold isolation - Heat isolation	CI HI	by temperature < 10°C by temperature > 22°C
Resistance of the sole against contact heat	HRO	contact at 300°C for 60 secs – no melting
Resistance of the sole Against hydrocarbons	FO	always present by EN ISO 20345:2011 and by EN ISO 20346:2011 but to be specified when required by EN ISO 20347:2012
Energy absorption capacity in the heel area	E	≥ 20 Joule
Resistance of the whole shoe to water penetration	WR	no penetration within first 15 mins. After 100 flex should not penetrate more than 3 square Cm
Resistance of the upper to water penetration	WRU	> 60 mins - Absorbance < 30%
Ankle protection	AN	average value > 20kN
Shoe with metatarsal protection	M	height after shock > 40 mm (tg 42)
Cut resistant upper	CR	I factor > 2,5
Features spiked soles	NO SYMBOL	Stud height >=2,5 cm

Personal Safety Equipments (P.P.E.) are ruled by two European regulations:

- the 89/686 CE which defines the obligations of the producer
- the 89/656 CE relating to the use, which defines the obligations of the companies and the workers.

Safety, protectional and professional footwear are identified as Personal Safety Equipments

### OBLIGATIONS OF THE PRODUCER

By purchasing Jallatte® products you are assured that all footwear have met the certification procedures based on the European regulations, as shown by the CE marking. Each box contains an informative note of use which establishes the risks covered. For every model, Jallatte® issues a declaration of conformity.

### OBLIGATIONS OF THE COMPANIES AND THE WORKERS

besides the priority of collective protection, the directive establishes an obligation of health and safety. The employers must:

- locate the risks which cannot be avoided through collective protection

- select the P.P.E. suitable and appropriate to the risks, in consultation with the R.S.P.P.
- select the P.P.E. compatible with the types of work to be executed and with the principles of ergonomics
- make the P.P.E. available to the workers
- monitor actual usage
- provide the P.P.E. for free and for personal use
- ensure the proper functioning, the hygienic status and maintenance
- proceed or o carry out periodical general checks for some categories of P.P.E.
- ensure information, education, instruction, training of the use of P.P.E. And the risks covered
- prepare a delivery note of the P.P.E. For the worker

And further:

- the P.P.E. are not to be considered prizes in kind
- the responsibility of the worker is only disciplinary (omission to wear the protections) and is subordinated to a criminal matter responsibility of the employer

### THE CERTIFICATION PROCEDURES

All Jallatte® footwear belongs to class II (protection against severe risks). Therefore all footwear is submitted to the specific CE examination at an enabled body at a European level'.

Basing on the analyses and the executed tests for this type in conformity to the regulation EN ISO 20344:2011, on the technical documentation and the informative note of use, a CE attestation is released, valid in whole Europe.

### Notes


It is forbidden to affix on a P.P.E., on it's box and on any other pertinent document any brand or writing susceptible to create confusion with the markings provided within the framework of the certification procedures in conformity with Art. R233.50.1

This catalogue replaces all previous documents.

With the aim to improve our collections, all products included in this catalogue may be replaced and/or modified.

Images are for illustration purposes only and are not legally binding.





Unit 1A, EASTERN PARK | EASTERN AVENUE | LICHFIELD

WS13 7SY | ENGLAND

Tel. +44 (0) 154 3 417 241

[info.uk@jallatte.com](mailto:info.uk@jallatte.com)



[www.jallatte.com](http://www.jallatte.com)

AUGUST 2024 EDITION



 **Jallatte**<sup>®</sup>  
créateur de bien-être

